### UNCLASSIFIED

## Defense Technical Information Center Compilation Part Notice

## ADP012897

TITLE: Role of Intensive Intersubband Transitions in Shubnlkov-de Haas Oscillations and in Weak Localization

DISTRIBUTION: Approved for public release, distribution unlimited Availability: Hard copy only.

## This paper is part of the following report:

TITLE: Nanostructures: Physics and Technology. 7th International Symposium. St. Petersburg, Russia, June 14-18, 1999 Proceedings

To order the complete compilation report, use: ADA407055

The component part is provided here to allow users access to individually authored sections of proceedings, annals, symposia, etc. However, the component should be considered within the context of the overall compilation report and not as a stand-alone technical report.

The following component part numbers comprise the compilation report: ADP012853 thru ADP013001

UNCLASSIFIED

# Role of intensive intersubband transitions in Shubnikov-de Haas oscillations and in weak localization

*N. S. Averkiev*, L. E. Golub and S. A. Tarasenko Ioffe Physico-Technical Institute, St Petersburg, Russia

**Abstract.** Shubnikov–de Haas conductivity oscillations are calculated taking into account intensive intersubband transitions between levels of size quantization in a quantum well and compared with anomalous magnetoresistance under weak localization conditions.

#### Introduction

The most widely used nanostructures characterization method is investigation of their properties in magnetic field. The Shubnikov–de Haas effect and the anomalous magnetoresistance measurements in weak filed are often applied.

In the ultra-quantum case of one size-quantized subband filling these phenomena are investigated very well both theoretically and experimentally. At two and more subbands occupation the new peculiarities appear in these effects caused by intersubband transitions. For instance, if the scattering cross-section is anisotropic then conductivity of the 2D electron gas is not reduced to the sum of conductivities in each subband. Therefore one has to take into account intersubband transitions in the weak localization theory, Shubnikov–de Haas effect and quantum Hall effect to determine exactly such parameters as carrier concentration, diffusion coefficient and spin relaxation times.

In this report the role of intersubband transitions is demonstrated in anomalous magnetoresistance effect and Shubnikov–de Haas oscillations.

#### 1 Weak localization

It has been shown [ $\uparrow$ ] that in the case of intensive intersubband transitions the anomalous conductivity in weak manetic field B is described by the standard expression:

$$\sigma(B) - \sigma(0) = \frac{e^2}{4\pi^2 \hbar} \left[ 2 f_2 \left( \frac{B}{B_{\omega} + B_{\parallel}} \right) + f_2 \left( \frac{B}{B_{\omega} + B_{\perp}} \right) - f_2 \left( \frac{B}{B_{\omega}} \right) \right], \quad (1)$$

where

$$B_{\varphi} = \frac{\hbar c}{4eD\tau_{\varphi}}, \qquad B_{\parallel,\perp} = \frac{\hbar c}{4eD\tau_{\parallel,\perp}}, \qquad (2)$$

the function  $f_2$  is given by:  $f_2(x) = \ln x + \psi(1/2 + 1/x)$ , and  $\psi(y)$  is a Digammafunction. Here  $\tau_{\varphi}$  is a phase relaxation time and  $\tau_{\parallel,\perp}$  are the longitudinal and transverse spin relaxation times where the role of the indicated axis plays the normal to the QW plane. D is an averaged diffusion coefficient, determining the whole conductivity of the system. It is important to note that this average is not reduced to the half-sum of the diffusion coefficients in each subband. The relaxation rates  $\tau_{\varphi}$ ,  $\tau_{\parallel}$  and  $\tau_{\perp}$  are also quantities averaged over subbands.

Thus the intensive intersubband transitions change essentially the dependence of conductivity on magnetic field. Instead of two contributions like Eq. (1) from each subband with six characteristic magnetic fields one has three parameters averaged over two subbands.

**2DEG.05p** 175

#### 2 Shubnikov-de Haas effect

Since periods of Shubnikov-de Haas oscillations are determined by crossing of Landau levels in each subband by the Fermi level the intersubband transitions do not change the functional dependence of conductivity on the magnetic field. However the contributions of each size-quantized subband depend both on the transitions intensity and on the angle dependence of scattering cross-section. In this report the case of isotropic scattering is considered for simplicity.

The expression for the dissipative conductivity has a view:

$$\sigma_{xx} = \frac{n_1 e^2 \tau_1 / m}{1 + (\omega_c \tau_1)^2} \left\{ 1 - 2 \frac{(\omega_c \tau_1)^2}{1 + (\omega_c \tau_1)^2} \left[ \left( 1 - \frac{\tau_1}{\tau_{12}} \right) \delta_1 + \frac{\tau_1}{\tau_{12}} \delta_2 \right] - \frac{\tau_1}{\tau_{12}} (\delta_1 - \delta_2) \right\}$$

$$+ \frac{n_2 e^2 \tau_2 / m}{1 + (\omega_c \tau_2)^2} \left\{ 1 - 2 \frac{(\omega_c \tau_2)^2}{1 + (\omega_c \tau_2)^2} \left[ \left( 1 - \frac{\tau_2}{\tau_{12}} \right) \delta_2 + \frac{\tau_2}{\tau_{12}} \delta_1 \right] - \frac{\tau_2}{\tau_{12}} (\delta_2 - \delta_1) \right\}, (3)$$

where m is the electron effective mass,  $\omega_c$  is its cyclotron frequency,  $n_{1,2}$  and  $\tau_{1,2}$  are respectively concentration and momentum relaxation time in the first and second subbands, and  $\tau_{12}$  is the intersubband transition time. The oscillating parts are given by:

$$\delta_1 = 2 \cos \left( 2\pi \frac{E_F}{\hbar \omega_c} \right) \exp \left( -\frac{\pi}{\omega_c \tau_1} \right), \ \delta_2 = 2 \cos \left( 2\pi \frac{E_F - \Delta}{\hbar \omega_c} \right) \exp \left( -\frac{\pi}{\omega_c \tau_2} \right),$$
 (4)

where  $E_{\rm F}$  and  $E_{\rm F}-\Delta$  are Fermi levels reckoned from bottoms of the first and second subbands of size quantization. Here  $\Delta$  is the energy distance between subbands.

The peculiarity of Eq. (3) is that the main signal with the frequency  $2\pi E_F/\hbar$  is modulated by the slow changing oscillation even at low occupation of the excited subband:  $E_F - \Delta \sim n_2 \ll n_1$ .

#### Acknowledgements

This work was financially supported by the Russian Foundation for Basic Research (grant 98-02-18424) and by the Program "Physics of Solid State Nanostructures" (grant 97-1035).

#### References

N.S. Averkiev, L.E. Golub and G.E. Pikus, Solid State Commun. 107, 757 (1998);
 Semiconductors 32, 1087 (1998).